

are equipment

Catalog



Who we ARE



At AREquipment we envision the world a better place by making it easier and comfortable in a time of medical emergency.

Through our portfolio of finest products – Chairs, Stretchers, Chariots & Fasteners, Auto Seats and Medical Equipment – our mission is to make it functional and easy to the operators and make it as comfortable as it can be for patients during stressful situations.


We have the responsibility to take care of thousands of people every day and that's why we think about people first, making our priority the development of products that are reliable, secure and functional.

This attitude led us to produce user friendly equipment, that is known to be strong and durable and therefore with minimum incidents in after sales.



Headquarters
Rua de S. Caetano 459/519
Apartado 526
4411-701 Canelas
Vila Nova de Gaia
Portugal

T. +351 227 157 100
F. +351 227 121 144
comercial@arequipment.com



Index

Chariots & Fasteners

A150.....5
A200.....7
E250SST.....9
E250BB.....11
E250F.....13
E300.....15
E40017
E400LS19

Stretchers

M760.....21
M761.....23
M764.....25
M766.....27
M860.....29
M7.....31
M8.....33
GAIA.....35

Medical Equipment

AR60.....32
Instruments Tray.....39
T10.....41
IV Pole.....43
Oxygen Bottle Holder.....45
Emergency Shoulder Strap.....47

Accessories

LBS.....49
Ergonomic Mattress.....51
Pediatrics Harness.....53
Patient Restraints.....55
Patient Restraints.....57
(Rapid Locking System)
Pillow (for Stretcher).....59

Chairs

C600.....61

Accessibility

D200.....63
D250.....65
D300.....67
P300/P310/P320.....69
P500.....71

Seats

Pyramidal Support.....73
Inclinable Support.....75
Rotative Support.....77
Fixed Support.....79
B2 Seat.....81



A150

Chariot

EN 1865-5
10G



A150 *Freedom of Movements*

This chariot allows transversal and longitudinal movements giving the operator freedom and full control.

- Part of the structure in aluminium
- Transversal movement
- Longitudinal movement
- Incline to facilitate the entrance of the cots
- 3 fixation points
- Space for Radimax

Weight

66 kg

Dimensions (closed)


1933 x 670 x 335 mm

Maximum load capacity

300 kg

Warranty

2 years



A200

Electric Chariot

EN 1865-5
10G



A200 *Because life is too short for a manual chariot*

The A200 is about sophistication, power and evolution. We designed it to make loading and unloading as simple as it should, you give the order and the machine does the heavy work. Simple.

- Light structure - partially in aluminium
- Tilt to ease the entry of the table
- 3 attachment points
- Transverse and longitudinal movements
- Stretcher IN/OUT electrical movement

Electric main system

Electric driving equipment by control

Equipped with

Security System with power cut

Auxiliary System for manual movement

12V DC Power

Weight

104.1 kg

Dimensions

1933 x 685 x 335 mm


Warranty

2 years



Hand crank ▲

Manual alternative in case of power failure



E250SST Fastener



E250SST Superb connection

Easy to use and practical. A modern fastener, in stainless steel and partially in aluminium, that merges perfectly in any set-up.

- Structure in stainless steel and partially in aluminium
- Tipper ramp for access
- 3 fixation points

Easy tilt

Weight

21,6 kg

Dimensions (closed)


1793 x 615 x 360 mm

Dimensions (open)

2133 x 615 x 115 mm

Warranty

2 years



E250 BB (Backboard) Fastener



E250 (BB) Get stability

The E250BB is manually operated equipment, developed to be an universal fastener, able to fit any fixation system and to allow storage for a backboard.

- Structure in steel/Stainless steel
- Mechanical drive handle
- 3 fixation points
- Space for Radimax
- Hardboard space

Weight


38.9 kg

Dimensions

1816 x 615 x 594 mm

Warranty

2 years





E250F (Flat) *Get stability*

The E250F is manually operated equipment, developed to be an universal fastener, able to fit any fixation system and to allow storage for a backboard.

- Structure in steel/Stainless steel
- Mechanical drive handle
- 3 fixation points
- space for hard board

Weight


66 kg

Dimensions

1929 x 639 x 520 mm

Warranty

2 years



E300

Fastener

EN 1865-5
10G



E300 *Easy to use and practical*

Loading and unloading the stretcher in the ambulance doesn't have to be difficult. This elegant fastener is a real proof of it.

- Structure in steel
- Mechanical drive handle
- 3 fixation points

Weight

11 kg


Dimensions

1781 x 513 x 76 mm

Warranty

2 years

Also Available **E300SST** (*Stainless Steel Version*)



E400

Easy - load Stretcher
Support

EN 1865-5
10G



E 400 Easy-load stretcher support

Developed for the Ferno Mondial – Patient Transport System

Electric driving equipment by control or app.

With a light structure, partially in aluminium, the E400 tilts to ease the entry of the table and completely secures the stretcher with 3 strong attachments points.

- Light structure - partially in aluminium
- Tilt to ease the entry of the table
- 3 attachment points
- Electrically powered movement for in and out of the stretcher

Weight

105 kg

Dimensions



2220 x 635 x 474 mm

Warranty

2 years

Electric main system

Electric driving equipment by control



Equipped with

Security System with power

cut

12V DC Power

E400 LS

Easy-load Stretcher Support

EN 1865-5
10G



E400 LS (Lateral Sliding) Loading and unloading with minimal effort

Developed for the Ferno Mondial – Patient Transport System

Electric driving equipment by control or app.

With a light structure, partially in aluminium, the E400 tilts to ease the entry of the table and completely secures the stretcher with 3 strong attachments points.

- Light structure - partially in aluminium
- Tilt to ease the entry of the table
- 3 attachment points
- Electrically powered movement for in and out of the stretcher

Equipped with

Security System with power cut
12V DC Power

Weight

85 kg

Dimensions



2220 x 635 x 475 mm

Warranty

2 years

Electric main system

Electric driving equipment by control



M760

Monobloc



M760 Stretchers can be complicated but we insist on making them easy

The M760 is a monobloc with a structure in aluminium. The 8 adjustable backrest positions and four feet rest positions make it comfortable for the patient and the 4 telescopic handles allow a fast and secure transport.

- Structure in aluminium
- 4 telescopic handles in 175 mm
- 4 wheels with 200mm diameter (2 swivel and 2 fixed)
- Adjustable backrest with eight positions
- Adjustable foot rest with four positions
- Easy input and output sliding

Weight

43 kg

Maximum Load Capacity

250 kg

Dimensions (closed)

1915 x 568 x 455 mm

Dimensions (open)

1915 x 568 x 990 mm

Warranty

2 years

Equipped with

IV Pole


Swing-Down sidearms

Foot Support

Harness and leg Restraints

Adjustable
footrest
4 positions

From flat to
90°



M761

Monobloc

EN 1865-1
10G



M761 A modern M760

The M761 is ideal if you're looking for a handy, safe and comfortable stretcher, with great design features.

Uses same certified fixation as M760 (10G certified)

- Structure in aluminium
- 4 telescopic handles in 175 mm
- 4 wheels with 200mm diameter (2 swivel and 2 fixed)
- Adjustable backrest with eight positions
- Adjustable foot rest with four positions
- Easy input and output sliding

Weight

43 kg

Maximum Load Capacity

250 kg

Dimensions (closed)

1915 x 568 x 455 mm

Dimensions (open)

1915 x 568 x 990 mm

Warranty

2 years

Equipped with

IV Pole

Swing-down sidearms

Foot Support

Harness and leg Restraints


From flat to

90°

Adjustable

footrest

4 positions



M764

Monobloc 4SW




M764 Efficient and dynamic

The M764 monobloc makes transport easy with 4 swivel wheels. The 8 adjustable backrest positions and 4 footrest positions guarantees comfort and the restraint straps for waist and legs will make the journey safe.

- Structure in aluminium
- 4 telescopic handles 175 mm
- 4 wheels with 200 mm diameter
- Adjustable backrest (from flat to 90°)
- Adjustable footrest
- The legs fold away independently, activating the dedicated commands. During the unloading procedure they open automatically
- Protection against uncontrolled legs folding during transportation
- Adjustable height on 3 levels for transport and rescue operations

Equipped with
IV Pole
Swing-down sidearms
Feet support
Harness and leg
Restraints

Weight
44,7 kg
Maximum Load
Capacity
250 kg
Dimensions (closed)
1915 x 568 x 455 mm
Dimensions (open)
1915 x 568 x 990 mm
Warranty
2 years



M766

Mortuary Stretcher

10G



M766 Discreet and functional

With a simple but elegant design, the M766 is a mortuary stretcher, made to be easy to use and to be durable.

Uses same certified fixation as M760 (10G certified).

- Structure in aluminium
- 4 telescopic handles 175mm movement
- 4 wheels with 200mm diameter (2 swivel and 2 fixed)
- Adjustable restraint
- Easy to clean

Weight

42 kg

Maximum Load

Capacity

250 kg

Dimensions (closed)

1950 x 560 x 455 mm

Dimensions (open)

1950 x 560 x 990 mm

Warranty


2 years

Equipped with

Foot support (helps with manoeuvring)

Restraint

Flat cover



M860

Trolley and Stretcher - separable



M860 Full mobility

The M860 focus on functionality and handling. This trolley and stretcher combo is easy to handle, supports up to 250kg and has a strong structure in aluminium.


Equipped with
IV Pole
Swing-Down sidearms
Foot Support
Harness and leg
Restraints

Weight
32,7 kg (Trolley)
+18 kg (Stretcher)
Maximum Load Capacity
250 kg
Trolley Dimensions
(closed)
1846 x 560 x 455 mm
Trolley Dimensions
(open)
1846 x 560 x 870 mm
Stretcher dimensions
1915 x 568 x 365 mm
Warranty
2 years



Adjustable
footrest
4 positions

From flat to
90°



M7

Stretcher

EN 1865-1
10G



M7 Full mobility

The M7 monobloc makes transport easy with 4 swivel wheels. The 8 adjustable backrest positions and 3 foot rest positions guarantees comfort and the restraint straps for waist and legs will make the journey safe.

- Structure in aluminium
- 4 telescopic handles
- 4 swivel wheels with 200mm diameter
- Adjustable backrest with eight positions
- Adjustable footrest with three positions
- The legs fold away independently during the unloading procedure, they open automatically
- Protection against uncontrolled legs folding during transportation
- Adjustable height on 3 levels for transport and rescue operations

Weight

45Kg

Maximum Load Capacity

250 kg

Dimensions (closed)

1945 x 568 x 480 mm

Dimensions (open)

1945 x 568 x 1010 mm

Warranty

2 years

Equipped with


IV Pole

Swing-Down sidearms

Foot Support

Harness and leg

Restraints



M8

Trolley and Stretcher - separable

EN 1865-1

10G



M8 New mobility

A new era, a new design! Our new stretcher is about security, endurance and mobility. The four new swivel wheels, our new leg control and the new backrest and footrest positions will allow total flexibility. The trolley is easily detachable from the stretcher and also bidirectional. We also had a cycle counter and a new security system for the unloading process.

- Structure in aluminium
- 4 telescopic handles
- 4 swivel wheels with 200mm diameter
- Adjustable backrest with eight positions
- Adjustable footrest with three positions
- The legs fold away independently during the unloading procedure,
- they open automatically
- Protection against uncontrolled legs folding during transportation
- Adjustable height on 3 levels for transport and rescue operations
- space for hard board

Weight

32kg (Trolley)

18.3kg (Stretcher)

Maximum Load Capacity

250 kg

Trolley Dimensions (closed)

1888 x 568 x 315 mm

Trolley Dimensions (open)

1888 x 568 x 850 mm

Stretcher dimensions

1945 x 568 x 310 mm

Warranty

2 years

Equipped with

IV Pole

Swing-Down sidearms


Foot Support

Harness and leg

Restraints



From flat to
90°



GAIA

Electric Stretcher

EN 1865
10G




GAIA *Get Lazy*

The Gaia electric stretcher makes loading and unloading a patient one of the easiest jobs.

- Battery-powered hydraulic lift system
 - The material is high-strength aluminum alloy which is hardened
 - and surface powder coated.
 - The length of the stretcher can be adjusted to fit in a narrow
 - place and elevator
 - Equipped with four wheels and two of them with brakes
 - PVC materials mattress
 - Three point belt kit
 - Equipped with Three-staged IV stand
 - Power voltage is 36V, rechargeable BOSCH lithium battery
 - With manual pressure relief function which can lift and down
 - manually when the battery power is not enough
 - Possible to allocate an incubator by removing the top part
- Work pressure: 14MPa
 - Input voltage: 36VDC
 - Solenoid Valve Voltage: 36VDC
 - Motor power: 1440W
 - Hydraulic oil medium: CHF 11S
 - Power unit operating temperature: -34.4C° to 60C°
 - Input power time: ≤2 hours
 - Working 120 times without loading
 - Working 100 times with loading

High Position (LxWxH)
1970 x 580 x 1150 mm
Low Position(LxWxH)
1970 x 580 x 360 mm
Width
580 mm
Weight
73 Kg
Maximum Loading weight
300 Kg
Warranty
2 years



AR60

Multi-parameter patient monitor

Directive
98/37/CE



The assistance on the road

Portable, resistant and light weight. With a 8,4", this Touch Screen Multi-Parameter Patient Monitor has a 96-hour trend graph and table recall. The built-in rechargeable Li-on battery allows up to 4 hours of continuous working and its lightweight is perfect for portability.

- 8.4" touch screen, light weight
- Various interfaces: standart display, large font display, 4 waveform display, 2-hour trend display, OxyCRG display
- 96-hour trend graph, recall, 96-hour trend table recall, 400 group of NIBP list, 60 alarm events
- Arrhythmia and ST-segment analysis, drug dose calculation
- Built-in rechargeable Li-ion battery, 4 hours continuous working
- 12v power Supply

- Please contact for optional configurations

Dimensions

245 x 220 x 110 mm

Warranty

2 years

Standart Configuration

ECG, SpO2, HR, NIBP, RESP,

TEMP, Thermal Printer

Multi-languages:

Portuguese, Spanish, English,

French and German

Frame Colors

0



Instruments Tray



Instruments Tray The extra hand


Made to be anti-slip, this Easy handy manual table makes all the difference for the rescue team.

- compatible with M760; M761;
M7860; M764

Weight
5,8 kg
Warranty
2 years



Easy
mount



Instruments Tray T10



Instruments Tray The extra hand

Made to be anti-slip, this Easy handy manual table makes all the difference for the rescue team.

- Designed for the M7 and M8 stretchers, this Instruments Tray table is a great bonus in time of stress as it allows you to have several equipment at hand in a safe and stable way
- Easy to use
- Aluminium
- Non-slip floor

Weight

6 kg

Maximum Load Capacity

300 Kg

Dimensions (closed)


584 X 478 X 95 mm

Dimensions (open)

584 X 478 X 452 mm

Warranty

2 years



IV Pole

Fix or foldable



IV Pole Perfect Fit in ARE stretchers

Designed for bagged or bottled IV solutions, you can choose between two versions, the fix model or the foldable option.

Both versions are extendable so you can adjust the height. All are compatible with **MSeries** Stretchers.

- Designed for bagged or bottled IV solutions
- Extensible;
- Adjustable in height;
- Double fixing
- Compatible with all models AREquipment

Weight

900 g

Dimensions (closed)

756 mm

Dimensions (open at maximum length)

1310 mm

Warranty

2 years



Oxygen Bottle Holder

Perfect Fit in ARE stretchers



Oxygen Bottle Holder Complete your stretcher

Portable and safe, allows an easy transport for an Oxygen Bottle.
When not using just fold it in.

- Designed for oxygen bottles
- Aluminium structure
- Swivel movement
- Compact for storage
- Easy-to-clean

Weight


900 g

Dimensions

381 x 251 x 110 mm

Warranty

2 years



Emergency Shoulder Strap



Emergency Shoulder Strap Personal assistant

This first intervention shoulder Strap bag helps professionals performing basic emergency care quickly and efficiently.

- Adjustable
- Compact for storage
- Easy-to-clean
- Stitched reflectors

Weight
850 g
Warranty
2 years



Large Body Surface (LBS)

Adapter for Stretcher



LBS Fits all

Adapt your stretcher to accommodate any body type. This Large Body Surface can be assembled quickly and both the adapter and the mattress are foldable, allowing an easy and fast storage.

- Structure in Aluminium
- Easy installation
- Easily converts standard stretcher into bariatric stretcher
- Safe transfer and transport of bariatric patients
- Foldable for easy storage
- Increase the stretcher width
- Compatible with Ferno F2 and all AREquipment models

Weight

10,5 kg (structure)

6,3 kg (mattress)

Dimensions (closed)

135 x 517 x 1445 mm

Dimensions (open)

66 x 1031 x 1445 mm


Warranty

2 years

Equipped with

Restraints

LBS mattress



Ergonomic Mattress




Color palette

ARE Mattress Comfort on the way to recover

Compatible with all models AREquipment ,this 4 part ergonomic mattress was conceived specifically to be comfortable and to be safe.

- Recommended used in conjunction with Chest and Legs Patient
- Restraints
- No progressive smouldering or flaming ignition
- The materials are not affected by disinfectants
- Easy-to-clean
- Comfortable
- Compatible with all models AREquipment

Dimensions
1880 x 500 mm



Pediatrics Harness



Pediatrics Harness Safety first

This restraint System quickly adapts any transportation cot for the safe transport of children

- Fully adjustable with five-point harness.
- Safe restraint for transport
- Compact for storage
- Quick release patient restraints
- No progressive smouldering or flaming ignition
- The materials are not affected by disinfectants
- Easy-to-clean

Weight
990 g
Warranty
2 years



Chest & Legs Patient Restraints



Chest & Legs Patient Restraints Security is our priority

This comfortable Restraint System is used to allow a safe transport of patients.

- Fully adjustable
- Safe restraint for transport
- Compact for storage
- Easy-to-clean
- Metal buckle

Warranty
2 years



Chest & Legs Patient Restraints

Fast locking system




Chest & Legs Patient Restraints Takes you more time to read this sentence than to actually lock the belt

This Restraint System is used to allow a safe transport of patients.

- Fully adjustable with four-point harness
- Safe restraint for transport
- Compact for storage
- Quick release patient restraints
- Easy-to-clean
- Metal buckle

Weight
1,15 kg
Warranty
2 years



Pillow

For your Stretcher



ARE Mattress Comfort on the way to recover

Compatible with AREquipment models,this pillow for mattress was conceived specifically to be comfortable and to be safe.

- Recommended used in conjunction with Chest and Legs Patient Restraints
- No progressive smouldering or flaming ignition
- The materials are not affected by disinfectants
- Easy-to-clean
- Comfortable
- Compatible with AREquipment models



C600

Foldable orthopedic wheelchair

EN 1865-4



C600 portable and lightweight

The orthopedic foldable wheelchair is an equipment of manual drive, developed to be used as a transport in places of difficult access.

- Structure in aluminium
- 4 foldable handles
- 2 fixed and 2 swivel wheels
- Foldable chair
- Front and rear extendable handles
- Optional carrying straps

Weight

7,8 kg

Maximum Load Capacity

160 kg

Dimensions (closed)

620 x 475 x 250 mm

Dimensions (open)

915 x 700 x 475 mm

Warranty

2 years

Equipped with

Restraint straps for waist and legs



D200

Manual step

Directive
2006/42/CE



D200 A small step , a big help

The D200 has been developed for application in vehicles and with the purpose of facilitating the access for persons with reduced mobility.

- Structure in aluminium
- Linear and sliding opening
- Robustness, strength and stability

Weight

8 kg

Dimensions (closed)


800 x 425 x 89 mm

Dimensions (open)

800 x 630 x 89 mm

Warranty

2 years



D250

Electric Revolving Step

Directive
2006/42/CE



D250 A small step that makes all the difference

Connected with the sliding door, it will work automatically when you open and close the door. This step may look simple but it will make all the difference for persons with reduced mobility.


- Structure in aluminium
- Electric drive
- Rotation movement of 90°
- Robustness, strength and stability

Weight

8 kg

Warranty

2 years



D300

"Cassette" Electric step

Directive
2006/42/CE



D300 A small step , a big help

The D300 has been developed for application in vehicles and with the purpose of facilitating the access for persons with reduced mobility.

- Structure in aluminium
- Linear and sliding opening
- Robustness, strength and stability

Weight

15 kg

Dimensions (Step)


235 x 402 mm

Dimensions (open)

500 x 403 x 71 mm

Warranty

2 years



P300 P310 P320 Manual Ramp



P300's series Smooth and practical

Made to be anti-slip, this Easy handy manual ramp makes all the difference for persons with reduced mobility.

The lateral handles were strategically placed to make folding/unfolding easy.
Three different sizes to choose from.

- Easy handy
- Aluminium
- Anti-slip
- Foldable
- Lateral Handles
- Three different sizes

Weight

S 26 kg M 30 kg L 35 kg

Dimensions Y x Z x K (closed)




S **P320** 920 x 958 x 268 mm

M **P310** 920 x 1209 x 268 mm

L **P300** 920 x 1359 x 268 mm

Warranty

2 years



P500

Wheelchair Lift

Directive
2006/42/CE




P500 The Power to Make Things Simple

No more heavy lifting, this (wheelchair) lift takes all the hard work. Loading and unloading rapidly without making any physical effort.



Weight
135 kg
Maximum load capacity
360 Kg
Dimensions (closed)
1227 x 1162 x 370 mm
Interior Dimensions
800 mm
Lifting speed
5m/min
Lowering speed
4m/min
Warranty
2 years



ARE SEATS

Folding chair seat with rotative pyramidal support

17R08, 14R07, 16R06
145R01



ARE SEAT Comfortable and safe on the way to recover
(Customizable logo)

Weight


36,2 kg

Warranty

2 years

- Isofix and Top tether features





ARE SEATS

Seat with inclinable support

17R08, 14R07, 16R06
145R01



ARE SEAT Comfortable and safe on the way to recover
(Customizable logo)

Weight
39,05 kg
Warranty
2 years



- Isofix and Top tether features

ARE SEATS

Folding chair seat for cavia wheel with rotative support

17R08, 14R07, 16R06
145R01




ARE SEAT Comfortable and safe on the way to recover
(Customizable logo)

Weight
38,150 kg
Warranty
2 years



- Isofix and Top tether features



ARE SEATS

Seat with fixed support

17R08, 14R07, 16R06
145R01




ARE SEAT Comfortable and safe on the way to recover
(Customizable logo)

Weight
39,05 kg
Warranty
2 years



- Isofix and Top tether features



ARE SEATS

Folding chair seat with rotative pyramidal support

17R08, 14R07, 16R06
145R01

B2



ARE SEAT Comfortable and safe on the way to recover
(Customizable logo)

Weight

25 to 29 kg (depending on number of armrests
and type of fixation)

Warranty

2 years






- Isofix and Top tether features

- 28% to 33% lighter than our standard Seat (depending on fixation)
- Narrower, thinner and more reclining than our standard
- Seat belt with alarm sound

In Development

- Multimedia Device
- Handle to rotate
- Heating system





Headquarters
Rua de S. Caetano 459/519
Apartado 526
4411-701 Canelas
Vila Nova de Gaia
Portugal

T. +351 227 157 100
F. +351 227 121 144
comercial@arequipment.com

