



About Us



At AREquipment, we envision a better world, making it simpler and more comfortable in medical emergencies.

Through our portfolio of high-quality products – stretchers, trolleys, platforms, seats and other medical equipment – we are committed to developing functional and easy-to-use solutions for healthcare professionals, while ensuring maximum comfort for patients in high-pressure situations.

We recognise our responsibility to care for thousands of people every day. That is why we put people at the centre of our decisions, making the development of reliable, safe and functional products a priority.

This commitment has led us to create equipment that is recognised for its ease of use, robustness and durability, resulting in a minimum number of after-sales incidents.




Headquarters

Rua S. Caetano, nº 519 4410 - 494 Canelas Vila Nova de Gaia, Portugal

T. +351 227 157 100 F. +351 227 121 144 comercial@arequipment.com







Index

Charriots and Platforms

A150	5
A150F	
A200	
E250	11
E250BB	13
E250F	15
E300	17
E400	19
E400LS	21
GAIA I GAIAI S	23

Stretchers

M760	25
M761	27
M764	
M766	31
M860	
M7	35
M8	37
GAIA	39
Transfer Stretcher	41

Medical Equipment

Instruments Tray N8	43
T10	45
IV Support	47
Oxygen Support	49
Emergency Bag	51

Accessories

LBS	5
Ergonomic Mattress	5
Pediatric Vest	57
Seat Belt	59
Seat Belt	61
(Quick Closure System)	
Pillow	63

Chairs

C510	65
C550	67
C600	69
C610	71

Accessibility

0200	73
D250	75
D300	77
P300/P310/P320	79
P351	
P411	83
2500	0.5

Seats

Pyramidal Support	87
Inclinable Support	89
Swivel Support	91
Fixed Support	93
B2	95





A150 Stretcher Support





A150 Freedom of movements

The purpose of this stretcher support is to improve the performance of the trolley and stretcher assembly inside the ambulance, allowing transverse and longitudinal movements, giving the operator total freedom and control.

- Part of the structure in aluminium
- Transversal movement
- Longitudinal movement
- Incline to facilitate the entrance of the cots
- 3 fixation points
- Space for "scoop"


Weight
66 kg
Dimensions (closed)
1965 x 690 x 345 mm
Maximum Load Capacity
300 kg
Warranty
2 years













A150F Stretcher Support






A150F We facilitate all movements

The A150F stretcher support is a manually operated device with a flat top surface, which allows other fasteners to be installed.

- Part of the structure in aluminium
- Transversal movement
- Longitudinal movement
- Incline to facilitate the entrance of the cots

Weight 84 kg Dimensions (closed) 1930 x 690 x 290 mm Maximum Load Capacity 300 kg Warranty 2 years







A200 Stretcher Support





A200 Because life is too short for a manual stretcher support

The A200 is about sophistication, power and evolution. We designed it to make loading and unloading as simple as it should, you give the order and the machine does the heavy work. Simple.

- Light structure partially in aluminium
- Tilt to ease the entry of the table
- 3 attachment points
- Transverse and longitudinal movements
- Stretcher IN/OUT electrical movement

Electric Main System

Electric driving equipment by control

Equipped with

Security System with power cut Auxiliary System for manual movement 12V DC Power




Weight
104.1 kg
Dimensions
1933 x 685 x 335 mm
Maximum Load Capacity
300 kg
Warranty
2 years





Hand crank A
Manual alternative in case of power failure





E250 Stretcher Support





E250 Super connection


Easy to use and practical. A modern stretcher support, in stainless steel and partially in aluminium, that merges perfectly in any set-up.

- Structure in stainless steel and partially in aluminium
- Tipper ramp for access
- 3 fixation points

Easy tilt

Weight
21.6 kg
Dimensions (closed)
1793 x 615 x 360 mm
Dimensions (open)
2133 x 615 x 115 mm
Maximum Load Capacity
300 kg
Warranty
2 years







E250BB Stretcher Support





E250BB Get stability

The E250BB is manually operated equipment, developed to be an universal stretcher support, able to fit any fixation system and to allow storage for a backboard.

- Structure in steel/stainless steel
- Mechanical drive handle
- 3 fixation points
- Space for Radimax
- Backboard space

Weight
38.9 kg
Dimensions
1816 x 615 x 594 mm
Maximum Load Capacity
300 kg
Warranty
2 years







E250F Stretcher Support





E250F (Flat) Get stability


The E250F is manually operated equipment, developed to be an universal stretcher support, able to fit any fixation system and to allow storage for a backboard.

- Structure in steel/Stainless steel
- Mechanical drive handle
- Space for backboard (optional)

Also available E250F70 (with space for backboard)

Weight
66 kg
Dimensions
1933 x 615 x 590 mm
Maximum Load Capacity
300 kg
Warranty
2 years







E300 Stretcher Support






E300 Easy to use and practical

Loading and unloading the stretcher in the ambulance doesn't have to be difficult. This elegant stretcher support is a real proof of it.

- Structure in steel
- Mechanical drive handle
- 3 fixation points

Also Available E300SST (Stainless Steel Version)

Weight
11 kg
Dimensions
1781 x 513 x 76 mm
Maximum Load Capacity
300 kg
Warranty
2 years





E400 Stretcher Support





E400 Stretcher Support

Developed for Ferno Mondial – Patient Transport System

With a lightweight, partially aluminum structure, the E400 is electrically driven, allowing access to the ambulance cell in a more comfortable way, reducing the physical effort of the operators.

- Light structure partially in aluminium
- 3 attachment points
- Electrically powered movement for in and out of the stretcher

Equipped with

Security System with power cut 12V DC Power

Weight

85 kg

Dimensions

2220 x 635 x 435 mm

Maximum Load Capacity

300 kg

Warranty

2 years


Electric main system

Electric driving equipment

by control













E400LSStretcher Support





E400 LS (Lateral Sliding) Loading and unloading with minimal effort

Developed for the Ferno Mondial – Patient Transport System

With a lightweight, partially aluminum structure, the E400 is electrically driven, with lateral movement, allowing access to the ambulance cell in a more comfortable way, reducing the physical effort of the operators.

- Light structure partially in aluminium
- 3 attachment points
- Electrically powered movement for in and out of the stretcher

Equipped with Security System with power cut 12V DC Power





Weight

105 kg

Dimensions

2220 x 635 x 475 mm

Maximum Load Capacity


300 kg

Warranty


2 years

Electric main system
Electric driving equipment by control











GAIA | GAIA LS Stretcher Support





Gaia | Gaia LS Stop worrying

The Gaia electric stretcher, together with its platform, makes loading and unloading a patient one of the easiest tasks. At the push of a lever and a button, you can lift and load a patient weighing up to 300 kg into an ambulance effortlessly.


• Electric stretcher support



Weight 135 kg (Gaia Platform) 156 kg (Gaia LS Platform) Maximum Load Capacity 375 kg Dimensions (LxWxH) 2226 x 669 x 315 mm (Gaia Platform) 2226 x 669 x 396 mm (Gaia LS Platform) Power Supply Voltage 220V AC ±10% 50Hz (AC Charge) 12V DC ±10% (DC Vehicle) Lateral Movement (optional) Displacement 360 mm Warranty

2 years







M760 Monobloc





M760 Stretchers can be complicated but we insist on making them easy

The M760 is a monobloc with a structure in aluminium. The 8 adjustable backrest positions and 4 footrest positions make it comfortable for the patient and the 4 telescopic handles allow a fast and secure transport.

- Structure in aluminium
- 4 telescopic handles in 175 mm
- 4 wheels with 200 mm diameter
- (2 swivel and 2 fixed)
- Adjustable backrest with 8 positions
- Adjustable foot rest with 4 positions

Included accessories:

IV support Folding armrests Footrest

Optional accessories:


Mattress

"Vest type" fastening belt (standard or quick-release)
Fastening belt for waist and legs (standard or quick-release)
Pediatric vest
Foldable IV pole
CAM system
Oxygen support
Instrument table
LBS
Pillow

Weight 43 kg (without accessories) Maximum Load Capacity 250 kg Dimensions (closed) 1915 x 568 x 455 mm Dimensions (open) 1915 x 568 x 990 mm Warranty

2 years







M761 Monobloc





M761 A modern M760

The M761 is ideal if you're looking for a handy, safe and comfortable stretcher, with great design features.

Uses same certified fixation as M760 (10G certified).

- Structure in aluminium
- 4 telescopic handles in 175 mm
- 4 wheels with 200 mm diameter (2 swivel and 2 fixed)
- Adjustable backrest with 8 positions
- Adjustable foot rest with 4 positions
- Easy input and output sliding

Included accessories:

IV support Folding armrests Footrest

Optional accessories:

Mattress

"Vest type" fastening belt (standard or quick-release) Fastening belt for waist and legs (standard or quick-release)

(standard or quick Pediatric vest Foldable IV pole CAM system Oxygen support Instrument table LBS

Pillow

Weight 43 kg (v


43 kg (without accessories) Maximum Load Capacity 250 kg Dimensions (closed)

1915 x 568 x 455 mm Dimensions (open)

1915 x 568 x 990 mm Warranty

2 years







M764 Monobloc





M764 Efficient and dynamic

The M764 is a monobloc with a structure in aluminium, that makes transport easy with 4 swivel wheels. The 8 adjustable backrest positions and 4 footrest positions make it comfortable for the patient and the 4 telescopic handles allow a fast and secure transport.

- Structure in aluminium
- 4 telescopic handles 175 mm
- 4 wheels with 200 mm diameter
- Adjustable backrest (from flat to 90°)
- Adjustable footrest
- The legs fold away independently, activating the dedicated commands. During the unloading procedure they open automatically
- Protection against uncontrolled legs folding during transportation
- Adjustable height on 3 levels for transport and rescue operations

Weight

44.7 kg (without accessories)
Maximum Load Capacity

250 kg

Dimensions (closed)

1915 x 568 x 455 mm

Dimensions (open)

1915 x 568 x 990 mm

Warranty

2 years

Included accessories:

IV support Folding armrests Footrest

Optional accessories:

Mattress

"Vest type" fastening belt (standard or quick-release)

Fastening belt for waist and legs (standard or quick-release)

Pediatric vest

Foldable IV pole

CAM system


Oxygen support

Instrument table

LBS

Pillow







M766 Mortuary Stretcher

10G



M766 Discreet and functional

With a simple but elegant design, the M766 is a mortuary stretcher, made to be easy to use and to be durable.

Uses same certified fixation as M760 (10G certified).

- Structure in aluminium
- 4 telescopic handles 175 mm movement
- 4 wheels with 200 mm diameter (2 swivel and 2 fixed)
- Adjustable restraint
- Easy to clean


Included accessories

Foot support (helps with manoeuvring) Restraint Flat cover

Weight

41 kg (without accessories)
Maximum Load Capacity
250 kg
Dimensions (closed)
1950 x 560 x 455 mm
Dimensions (open)
1950 x 560 x 990 mm
Warranty
2 years







M860 Trolley-Stretcher





M860 Full mobility

The M860 focus on functionality and handling. This trolley-stretcher combo is easy to handle, supports up to 250 kg and has a strong structure in aluminium.

Included accessories:

IV support Folding armrests Footrest

Optional accessories:


Mattress

"Vest type" fastening belt (standard or quick-release)
Fastening belt for waist and legs (standard or quick-release)
Pediatric vest
Foldable IV pole
CAM system
Oxygen support
Instrument table
LBS
Pillow

Weight (without accessories)
32.7 kg (trolley)
+ 18 kg (stretcher)
Maximum Load Capacity
250 kg
Trolley Dimensions (closed)
1846 x 560 x 455 mm
Trolley Dimensions (open)
1846 x 560 x 870 mm
Stretcher Dimensions
1915 x 568 x 365 mm

Warranty 2 years







M7 Monobloc





M7 Full mobility

The M7 monobloc makes transport easy with 4 swivel wheels. The 8 adjustable backrest positions and 3 foot rest positions guarantees comfort and the restraint straps for waist and legs will make the journey safe.

- Structure in aluminium
- 4 telescopic handles
- 4 swivel wheels with 200 mm diameter
- Adjustable backrest with 8 positions
- Adjustable footrest with 3 positions
- The legs fold away independently during the unloading procedure, they open automatically
- Protection against uncontrolled legs folding during transportation
- Adjustable height at different levels for transport and rescue operations
 H50/H56 - 5 horizontal positions
 H69 - 4 horizontal positions
 Several combined positions

Included accessories:

IV support Folding armrests Footrest

Pillow

Optional accessories:

Mattress
"Vest type" fastening belt (standard or quick-release)
Fastening belt for waist and legs (standard or quick-release)
Pediatric vest
Foldable IV pole
Oxygen support
Instrument table
LBS


Weight

45 kg (without accessories)
Maximum Load Capacity
250 kg
Dimensions (closed)
1945 x 568 x 480 mm
Dimensions (open)
1945 x 568 x 1010 mm
Warranty
2 years











M8 Trolley - Stretcher





M8 New mobility

A new era, a new design! Our new trolley-stretcher is about security, endurance and mobility. The four new swivel wheels, our new leg control and the new backrest and footrest positions will allow total flexibility. The trolley is easily detachable from the stretcher and also bidirectional. We also had a cycle counter and a new security system for the unloading process.

- Structure in aluminium
- 4 telescopic handles
- 4 swivel wheels with 200 mm diameter
- Adjustable backrest with 8 positions
- Adjustable footrest with 3 positions
- The legs fold away independently during the unloading procedure, they open automatically
- Protection against uncontrolled legs folding during transportation
- Adjustable height on 3 levels for transport and rescue operations

H50/H56 - 5 horizontal positions

H69 - 4 horizontal positions

Various combined positions

 Optimised lower space for hardboard coupling (maximum dimensions: 1910 mm x 450 mm x 60 mm)

Included accessories:

IV support Folding armrests Footrest

Optional accessories:

Mattress

Pillow

"Vest type" fastening belt (standard or quick-release) Fastening belt for waist and legs (standard or quick-release) Pediatric vest Foldable IV pole Oxygen support Instrument table LBS

Weight

50.3 kg (without accessories) Maximum Load Capacity 250 kg Trolley Dimensions (closed)

1888 x 568 x 315 mm

Trolley Dimensions (open)

1888 x 568 x 850 mm Stretcher Dimensions

1945 x 568 x 310 mm Warranty

2 years











GAIA Electric Stretcher





Gaia Stop worrying

Gaia is the first electric ambulance stretcher developed. Gaia makes loading and unloading a patient one of the easiest jobs.

- Battery-powered hydraulic lift system
- Made with high-strength aluminum alloy which is hardened and coated
- The length of the stretcher can be adjusted to fit in a narrow place such as an elevator to 1600 MM
- Mattress watertight
- Three-point belt kit
- Equipped with extensible IV pole
- Rechargeable 20V lithium battery
- Manual pressure relief function which can move the stretcher up and down when the battery power is not enough (emergency manual system)
- Battery indicator loading level
- Side arms

Optional:

- Plastic Guardrail
- Head Extension

Acessories:

- Pediatric Harness
- LBS (Large Body Surface)

Weight

75 ka

Maximum Load Capacity

300 kg

Wheels Diameter

150 mm

Backrest Adjustable

0-75°

High Position (LxWxH)

1970 x 580 x 1120 mm

Low Position (LxWxH)

1970 x 580 x 360 mm

Width

580 mm

Input Voltage

20V ±10%

Hydraulic Oil

Mobil DTE 24 Ultra ISO VG 32

Power Unit Operating Temperature

-34C° to 55C°

Input Power Time

≤ 2 hours

1200 times with no loading

100 times with loading

Minimum Leg Inclination Angle


15°





Transfer Stretcher Canvas AR






Transfer Stretcher Canvas AR Versatility first

The transfer stretcher is a piece of equipment developed from scratch, made of canvas and highly resistant webbing.

- Canvas structure
- 3 side handles
- Easy to clean

Weight
1.3 kg
Maximum Load Capacity
150 kg
Dimensions (closed)
750 x 100 x 100 mm
Dimensions (open)
1850 x 700 x 4 mm
Warranty
2 years





Instruments Tray N8



Instruments Tray N8 The extra hand

Made to be anti-slip, this easy handy manual table makes all the difference for the rescue team.


• Compatible with M760, M761, M7860 and M764.



Weight
5.8 kg
Dimensions (open)
622 x 562 x 75 mm
Dimensions (closed)
574 x 562 x 464 mm
Warranty
2 years









Instruments Tray T10




Instruments Tray T10 The extra hand

Made to be anti-slip, this easy handy manual table makes all the difference for the rescue team.

- Designed for M7 and M8 stretchers, this instruments tray table is a great bonus in time of stress as it allows you to have several equipment at hand in a safe and stable way
- Easy to use
- Aluminium
- Anti-slip floor

Weight 6 kg Dimensions (closed) 584 X 478 X 95 mm Dimensions (open) 584 X 478 X 452 mm Warranty 2 years







IV Support Fix or Foldable



IV Support Perfect fit in ARE stretchers

Designed for bagged or bottled IV solutions, you can choose between two versions, the fix model or the foldable option.

Both versions are extendable so you can adjust the height. All are compatible with **MSeries** Stretchers.

- Designed for bagged or bottled IV solutions
- Extensible
- Adjustable in height
- Double fixing
- Compatible with all models AREquipment



Weight 900 g Dimensions (closed) 756 mm Dimensions (open at maximum length) 1310 mm Warranty 2 years







Oxygen Bottle Holder Perfect Fit in ARE Stretchers



Oxygen Bottle Holder Complete your stretcher


Portable and safe, it allows easy transportation of an oxygen bottle. When not in use, simply fold it inwards.

- Designed for oxygen bottles
- Aluminium structure
- Swivel movement
- Compact for storage
- Easy to clean

Weight 900 g Dimensions 381 x 251 x 110 mm Warranty 2 years









Emergency Shoulder Bag




Emergency Shoulder Bag Personal assistant

This first intervention shoulder bag helps professionals performing basic emergency care quickly and efficiently. Made of robust material, the bag allows for quick and safe transportation of medical equipment.

- Zippers with chrome-plated steel handles
- Adjustable length
- Double stitching in stress areas
- High visibility reflection
- 8 zippered front and back pockets
- 2 quick-access zippers
- 4 elastic loops for flashlight / ballpoint pen
- Quick access for gloves
- Access to external scissors
- Velcro fastenings to the strap
- Easy to clean

Weight 850 g Dimensions 156 x 150 x 100 cm Warranty 2 years









Large Body Surface (LBS) Adapter for Stretcher



LBS Fits all

Adapt your stretcher to accommodate any body type. This Large Body Surface can be assembled quickly and both the adapter and the mattress are foldable, allowing an easy and fast storage.

- Structure in aluminium
- Easy installation
- Easily converts standard stretcher into bariatric stretcher
- Safe transfer and transport of bariatric patients
- Foldable for easy storage
- Increase the stretcher width
- Compatible with Ferno F2 and all AREquipment models

Weight

10.5 kg (structure) 6.3 kg (mattress)

Dimensions (closed)

135 x 517 x 1445 mm Dimensions (open)

66 x 1031 x 1445 mm

Warranty

2 years

Equipped with
















Ergonomic Mattress



Ergonomic Mattress *Comfort on the way to recover*


Compatible with all models AREquipment, this 4 part ergonomic mattress was conceived specifically to be comfortable and to be safe.

- Recommended used in conjunction with chest and legs patient restraints
- No progressive smouldering or flaming ignition
- The materials are not affected by disinfectants
- Easy to clean
- Comfortable
- Compatible with all models AREquipment

Dimensions 1860 x 500 mm









Pediatrics Vest



Pediatrics Vest Safety first

This restraint system quickly adapts any transportation cot for the safe transport of children.

- Fully adjustable with five-point harness
- Safe restraint for transport
- Compact for storageQuick release patient restraints
- No progressive smouldering or flaming
- The materials are not affected by disinfectants
- Easy to clean

Weight 990 q Warranty 2 years





Chest & Legs Patient Restraints





Chest & Legs Patient Restraints Security is our priority

This comfortable restraint system is used to allow a safe transport of patients.

- Fully adjustableSafe restraint for transport
- Compact for storageEasy to clean
- Metal buckle

Warranty 2 years











Chest & Legs Patient Restraints Fast Locking System





Chest & Legs Patient Restraints Takes you more time to read this sentence than to actually lock the belt


This restraint system is used to allow a safe transport of patients.

- Fully adjustable with four-point harnessSafe restraint for transport
- Compact for storage
- Quick release patient restraints
- Easy to clean
- Metal buckle

Weight 1.15 kg Warranty 2 years









Pillow For your Stretcher



Pillow Comfort on the way to recover

Compatible with AREquipment models, this pillow for mattress was conceived specifically to be comfortable and to be safe.

- Recommended used in conjunction with Chest and Legs Patient Restraints
 No progressive smouldering or flaming ignition
 The materials are not affected by disinfectants

- Easy to clean
- Comfortable
- Compatible with AREquipment models





C510 Transfer Chair





C510 Resistance and robustness

The C510 transfer chair is a manually operated piece of equipment whose main purpose is to transport patients safely, efficiently and comfortably.

- Structure in aluminium
- 2 fixed wheels
- Foldable chair

Equipped with


Restraint straps for waist and legs

Weight
10 kg
Maximum Load Capacity
160 kg
Dimensions
950 x 755 x 520 mm
Warranty
2 years











C550 Transfer Chair





C550 Resistance and robustness

The C550 transfer chair is a manually operated piece of equipment whose main purpose is to transport patients safely, efficiently and comfortably.

- Structure in aluminium
- 2 fixed and 2 swivel wheels
- Foldable chair

Equipped with Restraint straps for waist and legs

Weight 10 kg Maximum Load Capacity 160 kg Dimensions (maximum) 696 x 545 x 1000 mm Warranty 2 years







C600 Transfer Chair





C600 Portable and lightweight

The transfer chair is an equipment of manual drive, developed to be used as a transport in places of difficult access.

- Structure in aluminium
- 4 foldable handles
- 2 fixed and 2 swivel wheels
- Foldable chair
- Front extendable handles
- Optional carrying straps

Equipped with

Restraint straps for waist and legs



Weight
7.8 kg
Maximum Load Capacity
160 kg
Dimensions (closed)
620 x 475 x 250 mm
Dimensions (open)
915 x 700 x 475 mm
Warranty









C610 Transfer Chair





C610 Easy transport

The C610 chair is an easy-to-assemble piece of manual equipment designed to transport people with reduced mobility. It is a very sturdy and durable chair.


- Structure in aluminium
- 4 foldable handles
- 2 fixed wheels
- Folding chair in "X"
- Optional carrying straps

Equipped with Restraint straps for waist and legs

Installation in 5 seconds

Weight
9.1 kg
Maximum Load Capacity
160 kg
Dimensions (closed)
635 x 520 x 230 mm
Dimensions (open)
895 x 665 x 520 mm
Warranty
2 years







D200 Manual Step






D200 A small step, a big help

The D200 has been developed for application in vehicles and with the purpose of facilitating the access for persons with reduced mobility.

- Structure in aluminium
- Linear and sliding opening
- Robustness, strength and stability

Weight 8 kg Dimensions (closed) 800 x 425 x 89 mm Dimensions (open) 800 x 630 x 89 mm Maximum Load Capacity 150 kg Warranty 2 years







D250Electric Revolving Step





D250 A small step that makes all the difference


Connected with the sliding door, it will work automatically when you open and close the door. This step may look simple but it will make all the difference for persons with reduced mobility.

- Structure in aluminium
- Electric drive
- Rotation movement of 90°
- Robustness, strength and stability

Weight
9 kg
Dimensions (open)
519 x 452 x 171 mm
Maximum Load Capacity
150 kg
Warranty
2 years









D300 Electric Step Directive 2006/42/CE



D300 A small step, a big help


The D300 has been developed for application in vehicles and with the purpose of facilitating the access for persons with reduced mobility.

- Structure in aluminium
- Electric activation
- Linear and sliding opening
- Robustness, strength and stability













P300 P310 P320 Manual Ramp

Directive 2006/42/CE



P300/P310/P320 Smooth and practical

Made to be anti-slip, this easy handy manual ramp makes all the difference for persons with reduced mobility.

The lateral handles were strategically placed to make folding/unfolding easy. Three different sizes to choose from.

- Easy handy
- Aluminium
- Anti-slip
- Foldable
- Lateral handles
- Three different sizes

Weight

S 26 kg M 30 kg L 35 kg Dimensions Y x Z x K (closed)


S P**320** 920 x 958 x 268 mm M P**310** 920 x 1209 x 268 mm L P**300** 920 x 1359 x 268 mm

Maximum Load Capacity

400 kg

Warranty

2 years











P351 Manual Ramp Directive 2006/42/CE




P351 Practicality and greater accessibility

The anti-slip P351 manual ramp in cassette format is easy to use and makes all the difference for people with reduced mobility.

- Easy to use
- Aluminum structure
- Anti-slip floor
- Cassette format

Weight 65 kg Dimensions (closed) 2522 x 760 x 120 mm Maximum Load Capacity 400 kg Warranty 2 years







P411 Manual Ramp


Directive 2006/42/CE




P411 Easy to use

Made to be anti-slip, this easy handy manual ramp makes all the difference for persons with reduced mobility.

- Easy to use
- Aluminum structure
- Anti-slip floor
- Side handles



Weight
40 kg
Dimensions (closed)
1220 x 770 mm
Dimensions (open)
2370 x 770 mm
Maximum Load Capacity
400 kg
Warranty
2 years





P500 Lifting Platform

Directive 2006/42/CE



P500 The power to make things simple


No more heavy lifting, this wheelchair lift takes all the hard work. Loading and unloading rapidly without making any physical effort.



Weight
135 kg
Maximum Load Capacity
360 kg
Dimensions (closed)
1227 x 1162 x 370 mm
Interior Dimensions
800 mm
Lifting Speed
5m/min
Lowering Speed
4m/min
Warranty
2 years









Rotative Pyramidal Support

17R08, 14R07, 16R06 145R01






ARE SEAT *Comfortable and safe on the way to recover* (Customizable logo)

Weight 36.2 kg Warranty 2 years





• Isofix and top tether features







17R08, 14R07, 16R06 145R01




ARE SEAT *Comfortable and safe on the way to recover* (Customizable logo)

Weight 39.05 kg Warranty 2 years

2 yearsIsofix and top tether features











17R08, 14R07, 16R06 145R01




ARE SEAT *Comfortable and safe on the way to recover* (Customizable logo)

Weight 38.15 kg Warranty 2 years

Isofix and Top tether features











17R08, 14R07, 16R06 145R01






ARE SEAT *Comfortable and safe on the way to recover* (Customizable logo)

Weight 39.05 kg Warranty 2 years

Isofix and top tether features









Potative Dyramidal Sur

Rotative Pyramidal Support

B2

17R08, 14R07, 16R06 145R01



ARE SEAT *Comfortable and safe on the way to recover* (Customizable logo)

Weight

25 to 29 kg (depending on number of armrests and type of fixation)
Warranty


2 years

• Isofix and top tether features



- 28% to 33% lighter than our standard seat (depending on fixation)
 Narrower, thinner and more reclining than our standard
- Seat belt with alarm sound





Catalog

CAT AR 01/09/25/00 EDITION DATE: 30/09/2025 REVISION DATE: 30/09/2025

REVISION: 00