

# ar2Eequipment

## Catalog



CAT AR 01/09/25/01  
EDITION DATE: 30/09/2025  
REVISION DATE: 15/04/2026  
REVISION: 01

## About Us



At AREquipment, we envision a better world, making it simpler and more comfortable in medical emergencies.

Through our portfolio of high-quality products – stretchers, trolleys, platforms, seats and other medical equipment – we are committed to developing functional and easy-to-use solutions for healthcare professionals, while ensuring maximum comfort for patients in high-pressure situations.

We recognise our responsibility to care for thousands of people every day. That is why we put people at the centre of our decisions, making the development of reliable, safe and functional products a priority.

This commitment has led us to create equipment that is recognised for its ease of use, robustness and durability, resulting in a minimum number of after-sales incidents.

## Index

### Chariots and Platforms

A150.....	4
A150F.....	6
A200.....	8
E250.....	10
E250BB.....	12
E250F.....	14
E300.....	16
E400.....	18
E400LS.....	20
GAIA   GAIALS.....	22

### Stretchers

M760.....	24
M761.....	26
M764.....	27
M766.....	30
M860.....	32
M7.....	34
M8.....	36
GAIA.....	38
Transfer Stretcher.....	40

### Medical Equipment

Instruments Tray N8.....	42
T10.....	43
IV Support.....	45
Oxygen Support.....	48
Emergency Bag.....	50

### Accessories

LBS.....	52
Ergonomic Mattress.....	54
Pediatric Vest.....	58
Seat Belt.....	58
Seat Belt.....	60
(Quick Closure System)	
Pillow.....	62

### Chairs

C510.....	64
C550.....	66
C600.....	68
C610.....	70

### Accessibility

D200.....	72
D250.....	74
D300.....	76
P300/P310/P320.....	78
P351.....	80
P411.....	82
P500.....	84

### Seats

Pyramidal Support.....	86
Inclinable Support.....	88
Swivel Support.....	90
Fixed Support.....	92
B2.....	94



## A150 Stretcher Support



### *A150 Freedom of movements*

The purpose of this stretcher support is to improve the performance of the trolley and stretcher assembly inside the ambulance, allowing transverse and longitudinal movements, giving the operator total freedom and control.

- Part of the structure in aluminium
- Transversal movement
- Longitudinal movement
- Incline to facilitate the entrance of the cots
- 3 fixation points
- Space for "scoop"

Weight

66 kg

Dimensions (closed)

1965 x 690 x 345 mm

Maximum Load Capacity

300 kg

Warranty


2 years



7,5°



7,5°



## A150F

Stretcher Support



### A150F *We facilitate all movements*

The A150F stretcher support is a manually operated device with a flat top surface, which allows other fasteners to be installed.

- Part of the structure in aluminium
- Transversal movement
- Longitudinal movement
- Incline to facilitate the entrance of the cots

Weight

84 kg

Dimensions (closed)

1930 x 690 x 290 mm

Maximum Load Capacity

300 kg

Warranty



2 years



7,5°



7,5°



## A200 Stretcher Support



### *A200 Because life is too short for a manual stretcher support*

The A200 is about sophistication, power and evolution. We designed it to make loading and unloading as simple as it should, you give the order and the machine does the heavy work. Simple.

- Light structure - partially in aluminium
- Tilt to ease the entry of the table
- 3 attachment points
- Transverse and longitudinal movements
- Stretcher IN/OUT electrical movement

#### Electric Main System

Electric driving equipment by control

#### Equipped with

Security System with power cut

Auxiliary System for manual movement

12V DC Power

#### Weight

104.1 kg

#### Dimensions

1933 x 685 x 335 mm

#### Maximum Load Capacity

300 kg


#### Warranty

2 years



#### Hand crank ▲

Manual alternative in case of power failure



## E250

Stretcher Support



### E250 *Super connection*

Easy to use and practical. A modern stretcher support, in stainless steel and partially in aluminium, that merges perfectly in any set-up.

- Structure in stainless steel and partially in aluminium
- Tipper ramp for access
- 3 fixation points

Easy inclination

Weight

21.6 kg

Dimensions (closed)

1793 x 615 x 360 mm

Dimensions (open)


2133 x 615 x 115 mm

Maximum Load Capacity

300 kg

Warranty

2 years



## E250BB

Stretcher Support



### E250BB *Get stability*

The E250BB is manually operated equipment, developed to be an universal stretcher support, able to fit any fixation system and to allow storage for a backboard.

- Structure in steel/stainless steel
- Mechanical drive handle
- 3 fixation points
- Space for Radimax
- Backboard space

Weight

38.9 kg

Dimensions


1816 x 615 x 594 mm

Maximum Load Capacity

300 kg

Warranty

2 years



## E250F

Stretcher Support



### E250F (Flat) *Get stability*

The E250F is manually operated equipment, developed to be an universal stretcher support, able to fit any fixation system and to allow storage for a backboard.

- Structure in steel/Stainless steel
- Mechanical drive handle
- Space for backboard (optional)

Also available E250F70 (with space for backboard)

Weight

66 kg

Dimensions


1933 x 615 x 590 mm

Maximum Load Capacity

300 kg

Warranty

2 years



## E300

Stretcher Support



### E300 *Easy to use and practical*

Loading and unloading the stretcher in the ambulance doesn't have to be difficult. This elegant stretcher support is a real proof of it.

- Structure in steel
- Mechanical drive handle
- 3 fixation points

**Weight**

11 kg

**Dimensions**

1781 x 513 x 76 mm


**Maximum Load Capacity**

300 kg

**Warranty**

2 years

Also Available E300SST (*Stainless Steel Version*)



## E400 Stretcher Support



### *E400 Stretcher Support*



Developed for Ferno Mondial – Patient Transport System

With a lightweight, partially aluminum structure, the E400 is electrically driven, allowing access to the ambulance cell in a more comfortable way, reducing the physical effort of the operators.

- Light structure - partially in aluminium
- 3 attachment points
- Electrically powered movement for in and out of the stretcher

Equipped with  
Security System with power cut  
12V DC Power

Weight  
85 kg  
Dimensions  
2220 x 635 x 435 mm  
Maximum Load Capacity  
300 kg  
Warranty  
2 years  
Electric main system  
Electric driving equipment  
by control



## E400LS

Stretcher Support



### **E400 LS (Lateral Sliding) *Loading and unloading with minimal effort***

Developed for the Ferno Mondial – Patient Transport System

With a lightweight, partially aluminum structure, the E400 is electrically driven, with lateral movement, allowing access to the ambulance cell in a more comfortable way, reducing the physical effort of the operators.

- Light structure - partially in aluminium
- 3 attachment points
- Electrically powered movement for in and out of the stretcher

Equipped with  
Security System with power cut  
12V DC Power

Weight

105 kg

Dimensions

2220 x 635 x 475 mm

Maximum Load Capacity



300 kg

Warranty

2 years

Electric main system

Electric driving equipment by control



## GAIA | GAIA LS

Stretcher Support



### Gaia | Gaia LS *Stop worrying*

The Gaia electric stretcher, together with its platform, makes loading and unloading a patient one of the easiest tasks. At the push of a lever and a button, you can lift and load a patient weighing up to 300 kg into an ambulance effortlessly.

• Electric stretcher support



Weight

135 kg (Gaia Platform)

156 kg (Gaia LS Platform)

Maximum Load Capacity

375 kg

Dimensions (LxWxH)

2226 x 669 x 315 mm (Gaia Platform)

2226 x 669 x 396 mm (Gaia LS Platform)

Power Supply Voltage

220V AC  $\pm 10\%$  50Hz (AC Charge)



12V DC  $\pm 10\%$  (DC Vehicle)

Lateral Movement (optional)

Displacement 360 mm

Warranty

2 years



## M760

Monobloc



### *M760 Stretchers can be complicated but we insist on making them easy*

The M760 is a monobloc with a structure in aluminium. The 8 adjustable backrest positions and 4 footrest positions make it comfortable for the patient and the 4 telescopic handles allow a fast and secure transport.

- Structure in aluminium
- 4 telescopic handles in 175 mm
- 4 wheels with 200 mm diameter (2 swivel and 2 fixed)
- Adjustable backrest with 8 positions
- Adjustable foot rest with 4 positions

### Weight

43 kg (without accessories)

### Maximum Load Capacity

250 kg

### Dimensions (closed)

1915 x 568 x 455 mm

### Dimensions (open)

1915 x 568 x 990 mm

### Warranty

2 years

### Included accessories:

IV support

Folding armrests

Footrest

### Optional accessories:

Mattress

"Vest type" fastening belt (standard or quick-release)

Fastening belt for waist and legs (standard or quick-release)

Pediatric vest

Foldable IV pole


CAM system

Oxygen support

Instrument table

LBS

Pillow



**M761**  
Monobloc



*M761 A modern M760*

The M761 is ideal if you're looking for a handy, safe and comfortable stretcher, with great design features.

Uses same certified fixation as M760 (10G certified).

- Structure in aluminium
- 4 telescopic handles in 175 mm
- 4 wheels with 200 mm diameter (2 swivel and 2 fixed)
- Adjustable backrest with 8 positions
- Adjustable foot rest with 4 positions
- Easy input and output sliding

#### Weight

43 kg (without accessories)

Maximum Load Capacity

250 kg

Dimensions (closed)

1915 x 568 x 455 mm

Dimensions (open)

1915 x 568 x 990 mm

Warranty

2 years

#### Included accessories:

IV support

Folding armrests

Footrest

#### Optional accessories:

Mattress

"Vest type" fastening belt (standard or quick-release)

Fastening belt for waist and legs (standard or quick-release)

Pediatric vest

Foldable IV pole


CAM system

Oxygen support

Instrument table

LBS

Pillow



## M764 Monobloc



### M764 *Efficient and dynamic*

The M764 is a monobloc with a structure in aluminium, that makes transport easy with 4 swivel wheels. The 8 adjustable backrest positions and 4 footrest positions make it comfortable for the patient and the 4 telescopic handles allow a fast and secure transport.

- Structure in aluminium
- 4 telescopic handles 175 mm
- 4 wheels with 200 mm diameter
- Adjustable backrest (from flat to 90°)
- Adjustable footrest
- The legs fold away independently, activating the dedicated commands. During the unloading procedure they open automatically
- Protection against uncontrolled legs folding during transportation
- Adjustable height on 3 levels for transport and rescue operations

**Weight**

44.7 kg (without accessories)

**Maximum Load Capacity**

250 kg

**Dimensions (closed)**

1915 x 568 x 455 mm

**Dimensions (open)**

1915 x 568 x 990 mm

**Warranty**

2 years

**Included accessories:**

IV support

Folding armrests

Footrest

**Optional accessories:**

Mattress

"Vest type" fastening belt (standard or quick-release)

Fastening belt for waist and legs (standard or quick-release)

Pediatric vest

Foldable IV pole


CAM system

Oxygen support

Instrument table

LBS

Pillow



## M766

Mortuary Stretcher

10G



### *M766 Discreet and functional*

With a simple but elegant design, the M766 is a mortuary stretcher, made to be easy to use and to be durable.

Uses same certified fixation as M760 (10G certified).

- Structure in aluminium
- 4 telescopic handles 175 mm movement
- 4 wheels with 200 mm diameter (2 swivel and 2 fixed)
- Adjustable restraint
- Easy to clean

**Included accessories**

Foot support (helps with manoeuvring)  
 Restraint  
 Flat cover

**Weight**

41 kg (without accessories)

**Maximum Load Capacity**

250 kg

**Dimensions (closed)**


1950 x 560 x 455 mm

**Dimensions (open)**

1950 x 560 x 990 mm

**Warranty**

2 years



## M860

Trolley-Stretcher



### M860 *Full mobility*

The M860 focus on functionality and handling. This trolley-stretcher combo is easy to handle, supports up to 250 kg and has a strong structure in aluminium.

**Included accessories:**

- IV support
- Folding armrests
- Footrest

**Optional accessories:**

- Mattress
- "Vest type" fastening belt (standard or quick-release)
- Fastening belt for waist and legs (standard or quick-release)
- Pediatric vest
- Foldable IV pole
- CAM system
- Oxygen support
- Instrument table
- LBS
- Pillow

**Weight (without accessories)**

- 32.7 kg (trolley)
- + 18 kg (stretcher)

**Maximum Load Capacity**

250 kg

**Trolley Dimensions (closed)**

1846 x 560 x 455 mm

**Trolley Dimensions (open)**

1846 x 560 x 870 mm

**Stretcher Dimensions**


1915 x 568 x 365 mm

**Warranty**

2 years



Adjustable footrest  
4 positions



## M7

Monobloc



### M7 Full mobility

The M7 monobloc makes transport easy with 4 swivel wheels. The 8 adjustable backrest positions and 3 foot rest positions guarantees comfort and the restraint straps for waist and legs will make the journey safe.

- Structure in aluminium
- 4 telescopic handles
- 4 swivel wheels with 200 mm diameter
- Adjustable backrest with 8 positions
- Adjustable footrest with 3 positions
- The legs fold away independently during the unloading procedure, they open automatically
- Protection against uncontrolled legs folding during transportation
- Adjustable height at different levels for transport and rescue operations  
H50/H56 - 5 horizontal positions  
H69 - 4 horizontal positions  
Several combined positions

**Included accessories:**

- IV support
- Folding armrests
- Footrest

**Optional accessories:**

- Mattress
- "Vest type" fastening belt (standard or quick-release)
- Fastening belt for waist and legs (standard or quick-release)
- Pediatric vest
- Foldable IV pole
- Oxygen support
- Instrument table
- LBS
- Pillow

**Weight**

45 kg (without accessories)

**Maximum Load Capacity**

250 kg

**Dimensions (closed)**


1945 x 568 x 480 mm

**Dimensions (open)**

1945 x 568 x 1010 mm

**Warranty**

2 years



## M8 Trolley -Stretcher



### M8 *New mobility*

A new era, a new design! Our new trolley-stretcher is about security, endurance and mobility. The four new swivel wheels, our new leg control and the new backrest and footrest positions will allow total flexibility. The trolley is easily detachable from the stretcher and also bidirectional. We also had a cycle counter and a new security system for the unloading process.

- Structure in aluminium
- 4 telescopic handles
- 4 swivel wheels with 200 mm diameter
- Adjustable backrest with 8 positions
- Adjustable footrest with 3 positions
- The legs fold away independently during the unloading procedure, they open automatically
- Protection against uncontrolled legs folding during transportation
- Adjustable height on 3 levels for transport and rescue operations

H50/H56 - 5 horizontal positions

H69 - 4 horizontal positions

Various combined positions

- Optimised lower space for hardboard coupling (maximum dimensions: 1910 mm x 450 mm x 60 mm)

#### Included accessories:

IV support

Folding armrests

Footrest

#### Optional accessories:

Mattress

"Vest type" fastening belt (standard or quick-release)

Fastening belt for waist and legs (standard or quick-release)

Pediatric vest

Foldable IV pole

Oxygen support

Instrument table

LBS

Pillow

#### Weight

50.3 kg (without accessories)

Maximum Load Capacity

250 kg

Trolley Dimensions (closed)

1888 x 568 x 315 mm

Trolley Dimensions (open)


1888 x 568 x 850 mm

Stretcher Dimensions

1945 x 568 x 310 mm

Warranty

2 years



## GAIA

Electric Stretcher



### *Gaia Stop worrying*

Gaia is the first electric ambulance stretcher developed. Gaia makes loading and unloading a patient one of the easiest jobs.

- Battery-powered hydraulic lift system
- Made with high-strength aluminum alloy which is hardened and coated
- The length of the stretcher can be adjusted to fit in a narrow place such as an elevator to 1600 MM
- Mattress watertight
- Three-point belt kit
- Equipped with extensible IV pole
- Rechargeable 20V lithium battery
- Manual pressure relief function which can move the stretcher up and down when the battery power is not enough (emergency manual system)
- Battery indicator loading level
- Side arms

**Optional:**

- Plastic Guardrail
- Head Extension

**Accessories:**

- Pediatric Harness
- LBS (Large Body Surface)

**Weight**

75 kg

**Maximum Load Capacity**

300 kg

**Wheels Diameter**

150 mm

**Backrest Adjustable**

0-75°

**High Position (LxWxH)**

1970 x 580 x 1120 mm

**Low Position (LxWxH)**

1970 x 580 x 360 mm

**Width**

580 mm

**Input Voltage**

20V ±10%

**Hydraulic Oil**

Mobil DTE 24 Ultra ISO VG 32

**Power Unit Operating Temperature**

-34C° to 55C°

**Input Power Time**

≤ 2 hours

1200 times with no loading

100 times with loading

**Minimum Leg Inclination Angle**

15°


**Warranty**

2 years



## Transfer Stretcher

Canvas AR



### Transfer Stretcher Canvas AR *Versatility first*

The transfer stretcher is a piece of equipment developed from scratch, made of canvas and highly resistant webbing.

- Canvas structure
- 3 side handles
- Easy to clean

Weight

1.3 kg

Maximum Load Capacity

150 kg

Dimensions (closed)


750 x 100 x 100 mm

Dimensions (open)

1850 x 700 x 4 mm

Warranty

2 years



## Instruments Tray N8



### Instruments Tray N8 *The extra hand*

Made to be anti-slip, this easy handy manual table makes all the difference for the rescue team.

- Compatible with M760, M761, M7860 and M764.

Weight

5.8 kg

Dimensions (open)

622 x 562 x 75 mm

Dimensions (closed)


574 x 562 x 464 mm

Warranty

2 years



Easy mount



## Instruments Tray T10

Directive  
2006/42/CE



### Instruments Tray T10 *The extra hand*

Made to be anti-slip, this easy handy manual table makes all the difference for the rescue team.

- Designed for M7 and M8 stretchers, this instruments tray table is a great bonus in time of stress as it allows you to have several equipment at hand in a safe and stable way
- Easy to use
- Aluminium
- Anti-slip floor

Weight

6 kg

Dimensions (closed)


584 X 478 X 95 mm

Dimensions (open)

584 X 478 X 452 mm


Warranty

2 years



612 mm

542 mm



452 mm



478 mm

584 mm

447 mm

## IV Support

Fix or Foldable



### IV Support *Perfect fit in ARE stretchers*

Designed for bagged or bottled IV solutions, you can choose between two versions, the fix model or the foldable option.

Both versions are extendable so you can adjust the height. All are compatible with **MSeries** Stretchers.

- Designed for bagged or bottled IV solutions
- Extensible
- Adjustable in height
- Double fixing
- Compatible with all models AREquipment

Weight

900 g

Dimensions (closed)



756 mm

Dimensions (open at maximum length)

1310 mm

Warranty

2 years



## Oxygen Bottle Holder

Perfect Fit in ARE Stretchers



### Oxygen Bottle Holder *Complete your stretcher*

Portable and safe, it allows easy transportation of an oxygen bottle. When not in use, simply fold it inwards.

- Designed for oxygen bottles
- Aluminium structure
- Swivel movement
- Compact for storage
- Easy to clean

Weight


900 g

Dimensions

381 x 251 x 110 mm

Warranty

2 years



381 mm

## Emergency Shoulder Bag



### Emergency Shoulder Bag *Personal assistant*

This first intervention shoulder bag helps professionals performing basic emergency care quickly and efficiently. Made of robust material, the bag allows for quick and safe transportation of medical equipment.

- Zippers with chrome-plated steel handles
- Adjustable length
- Double stitching in stress areas
- High visibility reflection
- 8 zippered front and back pockets
- 2 quick-access zippers
- 4 elastic loops for flashlight / ballpoint pen
- Quick access for gloves
- Access to external scissors
- Velcro fastenings to the strap
- Easy to clean

Weight

850 g

Dimensions

156 x 150 x 100 cm

Warranty

2 years



## Large Body Surface (LBS)

Adapter for Stretcher



### LBS *Fits all*

Adapt your stretcher to accommodate any body type. This Large Body Surface can be assembled quickly and both the adapter and the mattress are foldable, allowing an easy and fast storage.

- Structure in aluminium
- Easy installation
- Easily converts standard stretcher into bariatric stretcher
- Safe transfer and transport of bariatric patients
- Foldable for easy storage
- Increase the stretcher width
- Compatible with Ferno F2 and all AREquipment models

#### Weight

10.5 kg (structure)

6.3 kg (mattress)

#### Dimensions (closed)

135 x 517 x 1445 mm


#### Dimensions (open)

66 x 1031 x 1445 mm

#### Warranty

2 years

Equipped with  
Restraints  
LBS mattress



## Ergonomic Mattress




### Ergonomic Mattress *Comfort on the way to recover*

Compatible with all models AREquipment, this 4 part ergonomic mattress was conceived specifically to be comfortable and to be safe.

- Recommended used in conjunction with chest and legs patient restraints
- No progressive smouldering or flaming ignition
- The materials are not affected by disinfectants
- Easy to clean
- Comfortable
- Compatible with all models AREquipment

Dimensions  
1860 x 500 mm



## Pediatrics Vest



### Pediatrics Vest *Safety first*

This restraint system quickly adapts any transportation cot for the safe transport of children.

- Fully adjustable with five-point harness
- Safe restraint for transport
- Compact for storage
- Quick release patient restraints
- No progressive smouldering or flaming ignition
- The materials are not affected by disinfectants
- Easy to clean

Weight  
990 g  
Warranty  
2 years



## Chest & Legs Patient Restraints



**Chest & Legs Patient Restraints Security is our priority**

This comfortable restraint system is used to allow a safe transport of patients.

- Fully adjustable
- Safe restraint for transport
- Compact for storage
- Easy to clean
- Metal buckle

Warranty  
2 years



## Chest & Legs Patient Restraints

Fast Locking System




### Chest & Legs Patient Restraints

*Takes you more time to read this sentence than to actually lock the belt*

This restraint system is used to allow a safe transport of patients.

- Fully adjustable with four-point harness
- Safe restraint for transport
- Compact for storage
- Quick release patient restraints
- Easy to clean
- Metal buckle

Weight  
1.15 kg  
Warranty  
2 years



## Pillow

For your Stretcher



### *Pillow Comfort on the way to recover*

Compatible with AREquipment models, this pillow for mattress was conceived specifically to be comfortable and to be safe.

- Recommended used in conjunction with Chest and Legs Patient Restraints
- No progressive smouldering or flaming ignition
- The materials are not affected by disinfectants
- Easy to clean
- Comfortable
- Compatible with AREquipment models



## C510

Transfer Chair



### C510 *Resistance and robustness*

The C510 transfer chair is a manually operated piece of equipment whose main purpose is to transport patients safely, efficiently and comfortably.

- Structure in aluminium
- 2 fixed wheels
- Foldable chair

Equipped with  
Restraint straps for waist and  
legs

Weight

10 kg

Maximum Load Capacity


160 kg

Dimensions

950 x 755 x 520 mm

Warranty

2 years



## C550 Transfer Chair



### *C550 Resistance and robustness*

The C550 transfer chair is a manually operated piece of equipment whose main purpose is to transport patients safely, efficiently and comfortably.

- Structure in aluminium
- 2 fixed and 2 swivel wheels
- Foldable chair

Equipped with

Restraint straps for waist and legs

Weight

10 kg

Maximum Load Capacity


160 kg

Dimensions (maximum)

696 x 545 x 1000 mm

Warranty

2 years



## C600 Transfer Chair



### *C600 Portable and lightweight*

The transfer chair is an equipment of manual drive, developed to be used as a transport in places of difficult access.

- Structure in aluminium
- 4 foldable handles
- 2 fixed and 2 swivel wheels
- Foldable chair
- Front extendable handles
- Optional carrying straps

**Optional**

Restraint straps for waist and legs

**Weight**

7.8 kg

**Maximum Load Capacity**

160 kg

**Dimensions (closed)**


620 x 475 x 250 mm

**Dimensions (open)**

915 x 700 x 475 mm

**Warranty**

2 years



## C610 Transfer Chair



### C610 *Easy transport*

The C610 chair is an easy-to-assemble piece of manual equipment designed to transport people with reduced mobility. It is a very sturdy and durable chair.

- Structure in aluminium
- 4 foldable handles
- 2 fixed wheels
- Folding chair in “X”
- Optional carrying straps

Equipped with  
Restraint straps for waist and  
legs

Installation in 5 seconds

Weight

9.1 kg

Maximum Load Capacity

160 kg

Dimensions (closed)

635 x 520 x 230 mm

Dimensions (open)

895 x 665 x 520 mm

Warranty

2 years



## D200

Manual Step

Directive  
2006/42/CE



### *D200 A small step, a big help*

The D200 has been developed for application in vehicles and with the purpose of facilitating the access for persons with reduced mobility.

- Structure in aluminium
- Linear and sliding opening
- Robustness, strength and stability

Weight

8 kg

Dimensions (closed)

800 x 425 x 89 mm

Dimensions (open)


800 x 630 x 89 mm

Maximum Load Capacity

150 kg

Warranty

2 years



## D250

Electric Revolving Step

Directive  
2006/42/CE



### *D250 A small step that makes all the difference*

Connected with the sliding door, it will work automatically when you open and close the door. This step may look simple but it will make all the difference for persons with reduced mobility.

- Structure in aluminium
- Electric drive
- Rotation movement of 90°
- Robustness, strength and stability

Weight

9 kg

Dimensions (open)


519 x 452 x 171 mm

Maximum Load Capacity

150 kg

Warranty

2 years



**D300**  
Electric Step

Directive  
2006/42/CE



**D300** *A small step, a big help*

The D300 has been developed for application in vehicles and with the purpose of facilitating the access for persons with reduced mobility.

- Structure in aluminium
- Electric activation
- Linear and sliding opening
- Robustness, strength and stability

Weight

15 kg

Dimensions (step)

235 x 402 mm

Dimensions (box)




500 x 403 x 71 mm

Maximum Load Capacity

150 kg

Warranty

2 years





**P300/P310/P320** *Smooth and practical*

Made to be anti-slip, this easy handy manual ramp makes all the difference for persons with reduced mobility.

The lateral handles were strategically placed to make folding/unfolding easy.

Three different sizes to choose from.

- Easy handy
- Aluminium
- Anti-slip
- Foldable
- Lateral handles
- Three different sizes

**Weight**

S 26 kg    M 30 kg    L 35 kg

**Dimensions Y x Z x K (closed)**

S **P320** 920 x 958 x 268 mm

M **P310** 920 x 1209 x 268 mm



L **P300** 920 x 1359 x 268 mm

**Maximum Load Capacity**

400 kg

**Warranty**

2 years



**P351**  
Manual Ramp

Directive  
2006/42/CE



**P351** *Practicality and greater accessibility*

The anti-slip P351 manual ramp in cassette format is easy to use and makes all the difference for people with reduced mobility.

- Easy to use
- Aluminum structure
- Anti-slip floor
- Cassette format

Weight

65 kg

Dimensions (closed)


2522 x 760 x 120 mm

Maximum Load Capacity

400 kg

Warranty

2 years



**P411**  
Manual Ramp

Directive  
2006/42/CE





**P411** *Easy to use*

Made to be anti-slip, this easy handy manual ramp makes all the difference for persons with reduced mobility.

- Easy to use
- Aluminum structure
- Anti-slip floor
- Side handles

Weight  
40 kg  
Dimensions (closed)  
1220 x 770 mm  
Dimensions (open)  
2370 x 770 mm  
Maximum Load Capacity  
400 kg  
Warranty  
2 years



**P500**  
Lifting Platform

Directive  
2006/42/CE




**P500** *The power to make things simple*

No more heavy lifting, this wheelchair lift takes all the hard work. Loading and unloading rapidly without making any physical effort.



Weight  
135 kg  
Maximum Load Capacity  
360 kg  
Dimensions (closed)  
1227 x 1162 x 370 mm  
Interior Dimensions  
800 mm  
Lifting Speed  
5m/min  
Lowering Speed  
4m/min  
Warranty  
2 years





**ARE SEAT** *Comfortable and safe on the way to recover*  
(Customizable logo)

**Weight**


40 kg (depending on number of armrests and type of fixation)

**Warranty**

2 years



- Isofix and top tether features





**ARE SEAT** *Comfortable and safe on the way to recover*  
(Customizable logo)

**Weight**


45.1 kg (depending on number of armrests and type of fixation)

**Warranty**

2 years

- Isofix and top tether features







**ARE SEAT** *Comfortable and safe on the way to recover*  
(Customizable logo)

**Weight**


43.4 kg (depending on number of armrests and type of fixation)

**Warranty**

2 years



- Isofix and Top tether features





**ARE SEAT** *Comfortable and safe on the way to recover*  
(Customizable logo)

**Weight**


34.5 kg (depending on number of armrests and type of fixation)

**Warranty**

2 years



- Isofix and top tether features



# 132



**ARE SEAT** *Comfortable and safe on the way to recover*  
(Customizable logo)

**Weight**

25 to 29 kg (depending on number of armrests and type of fixation)

**Warranty**

2 years




- Isofix and top tether features

- 28% to 33% lighter than our standard seat (depending on fixation)
- Narrower, thinner and more reclining than our standard
- Seat belt with alarm sound

*In development*

- Multimedia device
- Handle to rotate
- Heating system



# ARIEquipment Catalog

CAT AR 01/09/25/01  
EDITION DATE: 30/09/2025  
REVISION DATE: 15/04/2026  
REVISION: 01